

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
1 August 2002 (01.08.2002)

PCT

(10) International Publication Number
WO 02/059216 A1

(51) International Patent Classification⁷: C09B 29/42,
31/153, 67/22

(21) International Application Number: PCT/EP02/00513

(22) International Filing Date: 18 January 2002 (18.01.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
01810079.2 26 January 2001 (26.01.2001) EP

(71) Applicant (for all designated States except US): CIBA
SPECIALTY CHEMICALS HOLDING INC. [CH/CH];
Klybeckstrasse 141, CH-4057 Basel (CH).

(72) Inventors; and

(75) Inventors/Applicants (for US only): PICHLER, Yvonne
[AT/CH]; Rödlerweg 25, CH-4203 Grellingen (CH).
LAUK, Urs [CH/CH]; Alfred-Strebelweg 15, CH-8047
Zürich (CH).

(74) Common Representative: CIBA SPECIALTY CHEMI-
CALS HOLDING INC.; Patentabteilung, Klybeckstrasse
141, CH-4057 Basel (CH).

(81) Designated States (national): AE, AG, AI, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,
MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG,
SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ,
VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR,
GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent
(BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR,
NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the
claims and to be republished in the event of receipt of
amendments

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: AZO DYES, A PROCESS FOR THEIR PREPARATION AND THEIR USE IN THE DYEING OR PRINTING OF
HYDROPHOBIC FIBRE MATERIALS

(57) Abstract: The present invention relates to an azo dye of formula (1), wherein R₁ is the radical of a diazo component of the ben-
zene, naphthalene, diphenyl, azobenzene, thiophene, benzothiazole, thiadiazole, indazole, benzotriazole, pyrazole, anthraquinone,
naphtholic acid imide, chromone, phthalimide or diphenylene oxide series, R₂ is an unsubstituted or substituted aryl radical or an
unsubstituted or substituted aralkyl radical and R₃ is an unsubstituted or substituted aryl radical or an unsubstituted or substituted
aralkyl radical, with the proviso that one of the substituents R₂ and R₃ is an unsubstituted or substituted aryl radical and the other is
an unsubstituted or substituted aralkyl radical, 2-hydroxy-2-phenylethyl being expected as a substituted aralkyl radical, to mixtures
comprising at least two structurally different azo dyes of formula (1) and to the use of those azo dyes and dye mixtures in the dyeing
or printing of semi-synthetic or synthetic hydrophobic fibre materials.

WO 02/059216 A1


Azo dyes, a process for their preparation and their use in the dyeing or printing of hydrophobic fibre materials.

The present invention relates to azo dyes, to their preparation and to their use in the dyeing or printing of semi-synthetic or synthetic hydrophobic fibre materials.

Azo dyes and their use in the dyeing of semi-synthetic or synthetic hydrophobic fibre materials are known. It has been shown, however, that such dyes do not always fully satisfy the highest demands, especially in respect of high temperature light fastness and/or colour strength. There is therefore a need for new dyes that yield tinctorially strong, alkali-stable dyeings or prints having high temperature light fastness and that exhibit good allround properties.

It has now been found, surprisingly, that the azo dyes according to the invention meet the criteria given above to a considerable degree.

The present invention accordingly relates to an azo dye of formula



wherein

R₁ is the radical of a diazo component of the benzene, naphthalene, diphenyl, azobenzene, thiophene, benzothiazole, benzisothiazole, thiadiazole, indazole, benzotriazole, pyrazole, anthraquinone, naphtholic acid imide, chromone, phthalimide or diphenylene oxide series, R₂ is an unsubstituted or substituted aryl radical or an unsubstituted or substituted aralkyl radical and R₃ is an unsubstituted or substituted aryl radical or an unsubstituted or substituted aralkyl radical,

with the proviso that one of the substituents R_2 and R_3 is an unsubstituted or substituted aryl radical and the other is an unsubstituted or substituted aralkyl radical, 2-hydroxy-2-phenylethyl being excepted as a substituted aralkyl radical.

Of the substituents R_1 , the radicals of a diazo component of the benzene, naphthalene and thiophene series are preferred.

Especially preferred as R_1 is the radical of a diazo component of the benzene series.

The aryl radicals denoted by R_2 and R_3 may be mono- or poly-substituted, especially mono- to tri-substituted, e.g. by C_1 - C_4 alkyl, C_1 - C_4 alkoxy or halogen.

Preferably, the aryl radicals denoted by R_2 and R_3 are unsubstituted or substituted by methyl, methoxy, chlorine or fluorine.

The aryl radicals denoted by R_2 and R_3 are especially substituted by methyl in the ortho-position and, more especially, the meta-position to the amino group.

The radicals R_2 and R_3 are very especially unsubstituted.

A preferred aryl radical for R_2 and R_3 is phenyl.

C_1 - C_4 Alkyl as a substituent of R_2 and/or R_3 may be, for example, methyl, ethyl, propyl, isopropyl, n-butyl, isobutyl, sec-butyl or tert-butyl.

C_1 - C_4 Alkoxy as a substituent of R_2 and/or R_3 is e.g. methoxy, ethoxy, propoxy or butoxy.





A preferred aralkyl radical for R_2 and R_3 is phenyl- C_1 - C_4 alkyl, especially 2-phenylethyl or benzyl.


The phenyl radical in phenyl- C_1 - C_4 alkyl can itself be mono- or poly-substituted by the substituents indicated above for "aryl radicals".

Preferably, the phenyl radical in phenyl- C_1 - C_4 alkyl does not itself carry substituents.


Halogen as a substituent of R_2 and/or R_3 is bromine, fluorine or especially chlorine.

The azo dyes of the following formulae are important:







(6),



(7),



(8) and



(9).

The present invention relates also to dye mixtures comprising at least two structurally different azo dyes of formula (1).

Preference is given to dye mixtures comprising two structurally different azo dyes of formula (1).

Special preference is given to dye mixtures comprising the azo dyes of formulae (2) and (3), (4) and (5), (6) and (7), and (8) and (9).

The amount of the individual dyes in the dye mixtures according to the invention may vary within wide limits from e.g. 95:5 to 5:95 parts by weight, especially from 70:30 to 30:70 parts by weight, more especially from 55:45 to 45:55 parts by weight, of the individual dyes in a dye mixture comprising two azo dyes according to the invention.

Very special preference is given to dye mixtures comprising the following structurally different azo dyes of formula (1):

A. azo dyes of formulae (2), (3), (4) and (5), and

B. azo dyes of formulae (6), (7), (8) and (9).

The amounts of the azo dyes in dye mixture A. may likewise vary within wide limits, preference being given to dye mixtures in which the sum of the azo dyes of formulae (2) and (3) and the sum of the azo dyes of formulae (4) and (5) varies in a ratio by weight between 95:5 and 5:95, especially between 70:30 and 30:70, more especially between 55:45 and 45:55, the definitions and preferences given above for the dye mixture comprising two azo dyes according to the invention applying also to the ratio of the azo dyes of formulae (2) and (3), and (4) and (5).

The amounts of the azo dyes in dye mixture B. may likewise vary within wide limits, preference being given to dye mixtures in which the sum of the azo dyes of formulae (6) and (7) and the sum of the azo dyes of formulae (8) and (9) varies in a ratio by weight between 95:5 and 5:95, especially between 70:30 and 30:70, more especially between 55:45 and 45:55, the definitions and preferences given above for the dye mixture comprising two azo dyes according to the invention applying also to the ratio of the azo dyes of formulae (6) and (7), and (8) and (9).

The present invention relates also to the process for the preparation of the azo dyes of formula (1) according to the invention.

The dyes are prepared, for example, as follows: a compound of formula



is diazotised in accordance with a customary procedure and then coupled to a coupling component of formula



wherein R_1 , R_2 and R_3 are as defined above for formula (1).

The diazotisation of the compound of formula (50) is carried out in a manner known *per se*, for example with sodium nitrite in an acidic, e.g. hydrochloric-acid-containing or sulfuric-acid-containing, aqueous medium. The diazotisation may, however, also be carried out using other diazotisation agents, e.g. using nitrosylsulfuric acid. In the diazotisation, an additional acid may be present in the reaction medium, e.g. phosphoric acid, sulfuric acid, acetic acid, propionic acid or hydrochloric acid or a mixture of such acids, e.g. a mixture of propionic acid and acetic acid. The diazotisation is advantageously carried out at temperatures of from -10 to 30°C, for example from -10°C to room temperature.

The coupling of the diazotised compound of formula (50) to the coupling component of formula (51) is likewise effected in known manner, for example in an acidic, aqueous or aqueous-organic medium, advantageously at temperatures of from -10 to 30°C, especially below 10°C. Examples of acids used are hydrochloric acid, acetic acid, propionic acid, sulfuric acid and phosphoric acid.



The compounds of formula (50) are known or can be prepared in a manner known *per se*. The coupling components of formula (51) are also known or can be prepared in a manner known *per se*.

A dye mixture comprising two structurally different azo dyes of formula (1) can be prepared, for example, as follows: a compound of formula

$R_1 - NH_2$

(50)

is diazotised in accordance with a customary procedure and then coupled to a coupling component mixture comprising the compounds of formulae



wherein R_1 , R_2 and R_3 are as defined above for formula (1) and R_4 has the same meanings as R_3 independently of R_3 and n and m are the numbers 1, 2 or 3.

The above coupling component mixture can be prepared, for example, as follows: a compound of formula



is reacted first with a compound of formula



and then with a compound of formula



wherein R_3 , R_4 , n and m are as defined above.

From the resulting coupling component mixture, the individual coupling component(s) of formula (51) or formulae (51a) and (51b) can be obtained by subsequent chromatographic separation.

The dye mixtures comprising four structurally different azo dyes of formula (1) can be prepared, for example, by simply mixing together two of the two-component dye mixtures described above, e.g. a mixture comprising the azo dyes of formulae (2) and (3) and a mixture comprising the azo dyes of formulae (4) and (5).

The azo dyes and dye mixtures according to the invention can be used in the dyeing and printing of semi-synthetic and, especially, synthetic hydrophobic fibre materials, more especially textile materials. Textile materials composed of blends that contain such semi-synthetic and/or synthetic hydrophobic textile materials can likewise be dyed or printed using the azo dyes or dye mixtures according to the invention.

Semi-synthetic textile materials that come into consideration are especially cellulose secondary acetate and cellulose triacetate.

Synthetic hydrophobic textile materials consist especially of linear, aromatic polyesters, for example those of terephthalic acid and glycols, especially ethylene glycol, or condensation products of terephthalic acid and 1,4-bis(hydroxymethyl)cyclohexane; of polycarbonates, e.g. those of α,α -dimethyl-4,4-dihydroxy-diphenylmethane and phosgene, and of fibres based on polyvinyl chloride and on polyamide.

The application of the azo dyes and dye mixtures according to the invention to the textile materials is effected in accordance with known dyeing procedures. For example, polyester fibre materials are dyed in the exhaust process from an aqueous dispersion in the presence of customary anionic or non-ionic dispersants and optionally customary swelling agents (carriers) at temperatures of from 80 to 140°C. Cellulose secondary acetate is dyed preferably at about from 65 to 85°C and cellulose triacetate at temperatures of up to 115°C.

The azo dyes and dye mixtures according to the invention will not colour wool and cotton present at the same time in the dyebath or will colour such materials only slightly (very good

reservation), so that they can also be used satisfactorily in the dyeing of polyester/wool and polyester/cellulosic fibre blend fabrics.

The azo dyes and dye mixtures according to the invention are suitable for dyeing in accordance with the thermosol process, in the exhaust and continuous process and for printing processes. The exhaust process is preferred. The liquor ratio is dependent upon the nature of the apparatus, the substrate and the form of make-up. It may, however, be selected within a wide range, e.g. from 1:4 to 1:100, but is preferably from 1:6 to 1:25.

The said textile material can be in a variety of processing forms, e.g. in the form of fibres, yarns or non-wovens, in the form of woven fabrics or knitted fabrics.

It is advantageous to convert the azo dyes and dye mixtures according to the invention into a dye preparation prior to use. For this purpose, the azo dyes are ground so that their particle size is on average from 0.1 to 10 microns. The grinding can be carried out in the presence of dispersants. For example, the dried azo dye is ground with a dispersant or is kneaded in paste form with a dispersant and then dried *in vacuo* or by atomisation. The preparations so obtained can be used, after the addition of water, to prepare printing pastes and dyebaths.


For printing, the customary thickeners will be used, e.g. modified or unmodified natural products, for example alginates, British gum, gum arabic, crystal gum, locust bean flour, tragacanth, carboxymethylcellulose, hydroxyethylcellulose, starch or synthetic products, for example polyacrylamides, polyacrylic acid or copolymers thereof, or polyvinyl alcohols.

The azo dyes and dye mixtures according to the invention impart to the mentioned materials, especially to polyester material, level colour shades having very good in-use fastness properties, such as, especially, good fastness to light, more especially very good high temperature light fastness, fastness to thermofixing, to pleating, to chlorine and to wetting, such as fastness to water, perspiration and washing; the finished dyeings are also distinguished by good fastness to rubbing.

The azo dyes and dye mixtures according to the invention can also be used satisfactorily in the preparation of mixed shades together with other dyes.

The azo dyes and dye mixtures according to the invention can be used especially as a suitable component in a trichromatic dyeing or printing technique.


In the process for trichromatic dyeing of semi-synthetic or synthetic hydrophobic fibre materials there is used at least one red-dyeing azo dye of formula




wherein R_1 is the radical of a diazo component of the benzene, naphthalene, diphenyl, azobenzene, thiophene, benzothiazole, benzisothiazole, thiadiazole, indazole, benzotriazole, pyrazole, anthraquinone, naphtholic acid imide, chromone, phthalimide or diphenylene oxide series, R_2 is an unsubstituted or substituted aryl radical or an unsubstituted or substituted aralkyl radical and R_3 is an unsubstituted or substituted aryl radical or an unsubstituted or substituted aralkyl radical, with the proviso that one of the substituents R_2 and R_3 is an unsubstituted or substituted aryl radical and the other is an unsubstituted or substituted aralkyl radical, 2-hydroxy-2-phenylethyl being excepted as a substituted aralkyl radical, optionally in combination with further red dyes, e.g. C.I. Disperse Red 086, C.I. Disperse Red 279, Dianix Rot HF-LS (Dystar) or Palanil Rot FFB (BASF),

at least one blue-dyeing dye of formula






(11),




(12)

and/or




(13),

and at least one yellow-dyeing dye of formula




(14),

(I)




(15),

(IV)




(16).



(17)

II

and/or



(18).

The dyes of formulae (10) to (18) are known or can be prepared analogously to known compounds in accordance with procedures known *per se*.


The definitions and preferences given above apply also to the red-dyeing azo dye of formula (1).

Trichromatic dyeing is the additive colour mixing of suitably selected yellow- or orange-dyeing, red-dyeing and blue-dyeing dyes with which any desired shade of the visible colour spectrum can be achieved by an appropriate choice of the relative proportions of the dye components.

In a preferred embodiment of the trichromatic process according to the invention, a dye mixture comprising the red-dyeing azo dyes of formulae (2), (3), (4) and (5) together with the blue-dyeing dyes of formulae (10) and (11) and the yellow-dyeing dye of formula (12) is used.

In a further preferred embodiment of the trichromatic process according to the invention, a dye mixture comprising the red-dyeing azo dyes of formulae (6), (7), (8) and (9) together with the blue-dyeing dyes of formulae (10) and (11) and the yellow-dyeing dye of formula (12) is used.

The present invention relates also to a trichromatic mixture comprising at least one red-dyeing azo dye of formula



wherein R_1 is the radical of a diazo component of the benzene, naphthalene, diphenyl, azobenzene, thiophene, benzothiazole, benzisothiazole, thiadiazole, indazole, benzotriazole, pyrazole, anthraquinone, naphtholic acid imide, chromone, phthalimide or diphenylene oxide series, R_2 is an unsubstituted or substituted aryl radical or an unsubstituted or substituted aralkyl radical and R_3 is an unsubstituted or substituted aryl radical or an unsubstituted or substituted aralkyl radical, with the proviso that one of the substituents R_2 and R_3 is an unsubstituted or substituted aryl radical and the other is an unsubstituted or substituted aralkyl radical, 2-hydroxy-2-phenylethyl being excepted as a substituted aralkyl radical, at least one blue-dyeing dye of formulae (10) to (13) and at least one yellow-dyeing dye of formulae (14) to (18).

The definitions and preferences given above apply also to the red-dyeing azo dye of formula (1).

The azo dyes and dye mixtures according to the invention are also very suitable for dyeing hydrophobic textile material from supercritical CO_2 .

The present invention relates also to the above-mentioned use of the azo dyes and dye mixtures according to the invention as well as to a process for the dyeing or printing of semi-synthetic or synthetic hydrophobic fibre material, especially textile material, which process, comprises applying the azo dyes or dye mixtures according to the invention to the said

material or incorporating them into that material. The said hydrophobic fibre material is preferably textile polyester material. Further substrates that can be treated by the process according to the invention and also preferred process conditions can be found above in the detailed description of the use of the azo dyes and dye mixtures according to the invention. The invention relates also to hydrophobic fibre material, especially polyester textile material, dyed or printed by the said process.

The azo dyes and dye mixtures according to the invention are also suitable for modern reproduction processes, e.g. thermotransfer printing.

The following Examples serve to illustrate the invention. In the Examples, unless otherwise indicated, parts are parts by weight and percentages are percent by weight. The temperatures are given in degrees Celsius. The relationship between parts by weight and parts by volume is the same as that between grams and cubic centimetres.

Example 1:

A. In a laboratory reaction apparatus, with stirring and with cooling at a temperature of from 20 to 30°C, 27.80 g of 2-amino-5-nitrobenzonitrile are introduced into 40.00 g of a 97% sulfuric acid and stirring is carried out for 30 minutes. A further 10.00 g of a 97% sulfuric acid are then added to the resulting suspension, with stirring, and the reaction mass is stirred for a further 30 minutes and cooled to about from 5 to 15°C. 47.70 g of a 40% nitrosylsulfuric acid are then added dropwise and the resulting solution is then stirred for 2 hours at from 10 to 20°C.

B. In a laboratory reaction apparatus, 76.00 g of powdered 2,6-dichloro-3-cyano-4-methylpyridine are suspended in 250.00 ml of triethylamine and the suspension is heated to from 50 to 55°C. At that temperature, 49.00 g of phenethylamine are added dropwise and the mixture is stirred at 60°C for 12 hours. The temperature is then increased to about from 80 to 90°C, and the triethylamine is separated off by distillation for about 10 hours. 100.00 ml of aniline are then added dropwise to the resulting solution and the solution is stirred at 150°C for 12 hours. 450.00 ml of a 4N HCl are then added and the reaction mass is poured into 150.00 g of ice and stirred for about 3.5 hours, filtered with suction, washed with 6.00 litres of water and dried.

C. In a laboratory reaction apparatus,


63.30 g of the coupling component mixture prepared under B. are introduced into a mixture of 250.00 ml of a 2N HCl and 200.00 ml of water. The resulting suspension is stirred for 1 hour, then filtered with suction and washed with water and the resulting filter cake is introduced into 200.00 ml of a 80% acetic acid.

100.00 ml of ethyl alcohol are added to the resulting suspension; the mixture is cooled to about 0°C and the diazo solution prepared under A. is added dropwise in the course of 30 minutes at a temperature of < 8°C.


The resulting very viscous reaction mass is diluted with 150.00 ml of water and stirred for 3 hours at from 5 to 10°C.

The precipitated reaction product is then filtered off with suction, washed with water and dried.

76.60 g of a dye mixture consisting of the azo dyes of formulae



(8) and




(9),

are obtained, which dyes polyester in red shades.

If required, the individual azo dyes of formulae (8) and (9) can be isolated by subsequent chromatographic separation.

Analogously to Example 1 it is possible to prepare the azo dyes listed in Tables 1 and 2, which likewise dye polyester in orange to reddish-violet shades:

Table 1:



R ₁	R ₂	R ₃



































R ₁	R ₂	R ₃
		
		
		

Table 2:



R ₁	R ₂	R ₃
		

R ₁	R ₂	R ₃
		
		
		
		
		
		
		

Example 2:

Using a liquor ratio of 1:20, 100 g of polyester fabric are immersed at room temperature in a liquor containing

0.07 g of a dye mixture comprising the azo dyes of formulae (2), (3), (4) and (5) in a ratio of 1:1:1:1,

0.058 g of a dye mixture comprising the dyes of formulae (10) and (11) in a ratio of 1:1,

0.57 g of a dye of formula (12),

1 g/l of ammonium sulfate and

0.5 g/l of a commercially available levelling agent,


the liquor having been adjusted to a pH of 4.5 to 5 with 80% formic acid. The liquor is then heated first to 60°C at a heating rate of 3°C/minute and then to 130°C at a heating rate of 2°C/minute.

Dyeing is carried out at 130°C for 60 minutes. The liquor is then cooled to 40°C and the dyed polyester fabric is washed with water and cleaned reductively for 20 minutes at 70 - 80°C in a bath containing 5 ml/l of 30% sodium hydroxide solution, 2 g/l of 85% sodium dithionite solution and 1 g/l of a commercially available detergent. The finished dyeing is then washed with water and dried.

A tinctorially strong violet dyeing having good allround properties, especially excellent high temperature light fastness properties, is obtained.

What is claimed is:

1. An azo dye of formula



wherein


R₁ is the radical of a diazo component of the benzene, naphthalene, diphenyl, azobenzene, thiophene, benzothiazole, benzisothiazole, thiadiazole, indazole, benzotriazole, pyrazole, anthraquinone, naphtholic acid imide, chromone, phthalimide or diphenylene oxide series, R₂ is an unsubstituted or substituted aryl radical or an unsubstituted or substituted aralkyl radical and

R₃ is an unsubstituted or substituted aryl radical or an unsubstituted or substituted aralkyl radical,


with the proviso that one of the substituents R₂ and R₃ is an unsubstituted or substituted aryl radical and the other is an unsubstituted or substituted aralkyl radical, 2-hydroxy-2-phenyl-ethyl being excepted as a substituted aralkyl radical.

2. A dye mixture comprising at least two structurally different azo dyes of formula (1) according to claim 1.

3. A dye mixture according to claim 2 comprising the azo dyes of formulae




(2) and




(3).

4. A dye mixture according to claim 2 comprising the azo dyes of formulae




(4) and




(5).

5. A dye mixture according to claim 2 comprising the azo dyes of formulae




(6) and




(7).

6. A dye mixture according to claim 2 comprising the azo dyes of formulae







(8) and







(9).

7. A dye mixture comprising four structurally different dyes of formula (1) according to claim 1.

8. A dye mixture according to claim 7 comprising the azo dyes of formulae



9. A dye mixture according to claim 7 comprising the azo dyes of formulae




10. A process for the preparation of an azo dye of formula (1) according to claim 1, wherein a compound of formula

$R_1 - \text{NH}_2$

(50)

is diazotised in accordance with a customary procedure and then coupled to a coupling component of formula




(51),

wherein R_1 , R_2 and R_3 are as defined for formula (1).

11. A process for the dyeing or printing of semi-synthetic or synthetic hydrophobic fibre material, wherein an azo dye of formula (1) according to claim 1 or a dye mixture according to claim 2 is applied to the said material or is incorporated into that material.


12. A trichromatic mixture comprising at least one red-dyeing azo dye of formula




(1),

wherein R_1 is the radical of a diazo component of the benzene, naphthalene, diphenyl, azobenzene, thiophene, benzothiazole, benzisothiazole, thiadiazole, indazole, benzotriazole, pyrazole, anthraquinone, naphtholic acid imide, chromone, phthalimide or diphenylene oxide series, R_2 is an unsubstituted or substituted aryl radical or an unsubstituted or substituted aralkyl radical and R_3 is an unsubstituted or substituted aryl radical or an unsubstituted or substituted aralkyl radical, with the proviso that one of the substituents R_2 and R_3 is an unsubstituted or substituted aryl radical and the other is an unsubstituted or substituted aralkyl radical, 2-hydroxy-2-phenylethyl being excepted as a substituted aralkyl radical, at least one blue-dyeing dye of formula


- 27 -



(10),




(11),




(12)

and/or




(13),


and at least one yellow-dyeing dye of formula




(14),



(15),




(16),



(17)

and/or



(18).

13. A process for the trichromatic dyeing or printing of semi-synthetic or synthetic hydrophobic fibre material, wherein a trichromatic mixture according to claim 12 is used.

14. Use of an azo dye of formula (1) according to claim 1 or of a dye mixture according to claim 2 in the dyeing or printing of semi-synthetic or synthetic hydrophobic fibre materials.

15. A semi-synthetic or synthetic hydrophobic fibre material dyed or printed with a dye of formula (1) according to claim 1 or with a dye mixture according to claim 2.

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/EP 02/00513

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C09B29/42 C09B31/153 C09B67/22

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C09B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	FR 2 329 724 A (BASF AG) 27 May 1977 (1977-05-27) page 16; examples 16-18 ---	1, 10, 11, 14, 15
X	DE 27 18 619 A (BASF AG) 9 November 1978 (1978-11-09) page 21; examples 69, 70 page 22; examples 73-80 page 24; examples 106, 107 page 25; examples 140, 141 page 26, line 164 - line 165 page 32; example 197 --- -/--	1, 10, 11, 14, 15

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *G* document member of the same patent family

Date of the actual completion of the international search

24 June 2002

Date of mailing of the international search report

02/07/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5618 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Ketterer, M

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 02/00513

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 023 315 A (BASF AG) 4 February 1981 (1981-02-04) examples 4,8,84,97,112,122,138,154,158,189,223,234, 240,246 examples 267,268,274,276,303 abstract ---	1,10,11, 14,15
X	GB 2 002 409 A (BASF AG) 21 February 1979 (1979-02-21) page 6; example 13 page 16; example 153 ---	1,10,11, 14,15
A	EP 0 699 718 A (CIBA GEIGY AG) 6 March 1996 (1996-03-06) the whole document ---	1-15
A	EP 0 659 841 A (HOECHST MITSUBISHI KASEI) 28 June 1995 (1995-06-28) the whole document ---	1-11,14, 15
A	EP 0 579 192 A (HOECHST MITSUBISHI KASEI) 19 January 1994 (1994-01-19) the whole document ---	1-11,14, 15
A	EP 0 548 715 A (HOECHST MITSUBISHI KASEI) 30 June 1993 (1993-06-30) the whole document ---	1-11,14, 15
A	US 3 853 895 A (DEHNERT J ET AL) 10 December 1974 (1974-12-10) column 5, line 29 - line 33 column 29; examples 360,369,370 -----	1,10

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 02/00513

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
FR 2329724	A	27-05-1977	AT 373930 B	12-03-1984
			AT 822375 A	15-07-1983
			CH 609722 A5	15-03-1979
			DE 2640576 A1	12-05-1977
			FR 2329724 A1	27-05-1977
			GB 1561772 A	05-03-1980
			IT 1080516 B	16-05-1985
			JP 1296047 C	26-12-1985
			JP 52059789 A	17-05-1977
			JP 60015756 B	22-04-1985
			US 4146535 A	27-03-1979
			US 4150943 A	24-04-1979
DE 2718619	A	09-11-1978	DE 2718619 A1	09-11-1978
			GB 1598893 A	23-09-1981
			JP 53134828 A	24-11-1978
EP 0023315	A	04-02-1981	DE 2930919 A1	26-02-1981
			EP 0023315 A1	04-02-1981
			JP 56022353 A	02-03-1981
			US 4276045 A	30-06-1981
GB 2002409	A	21-02-1979	DE 2734927 A1	22-02-1979
			CH 637670 A5	15-08-1983
			FR 2399463 A1	02-03-1979
			IT 1097444 B	31-08-1985
			JP 54028331 A	02-03-1979
			US 4210583 A	01-07-1980
EP 0699718	A	06-03-1996	CN 1128278 A	07-08-1996
			EP 0699718 A2	06-03-1996
			JP 8073761 A	19-03-1996
			US 5602238 A	11-02-1997
EP 0659841	A	28-06-1995	EP 0659841 A2	28-06-1995
			JP 7228794 A	29-08-1995
			US 5494493 A	27-02-1996
EP 0579192	A	19-01-1994	JP 3165745 B2	14-05-2001
			JP 6032989 A	08-02-1994
			DE 69315269 D1	02-01-1998
			DE 69315269 T2	12-03-1998
			EP 0579192 A1	19-01-1994
			KR 271988 B1	01-12-2000
			US 5440024 A	08-08-1995
EP 0548715	A	30-06-1993	JP 3234004 B2	04-12-2001
			JP 6073301 A	15-03-1994
			DE 69221099 D1	28-08-1997
			DE 69221099 T2	04-12-1997
			EP 0548715 A1	30-06-1993
			ES 2106123 T3	01-11-1997
			KR 220654 B1	15-09-1999
			US 5332404 A	26-07-1994
US 3853895	A	10-12-1974	DE 2260827 A1	11-07-1974
			US RE29640 E	23-05-1978